2015 PRICE BOOK

amerec®
your moment



ENJOY THE AFFORDABLE, HEALTHY BENEFITS OF STEAM BATHING

– Steam is an easy and affordable addition to almost any shower.
– Steam bathing consumes very small amounts of water - less than 2 gallons during a 30 minute steam bath.
– Health benefits of steam bathing.
  - Relieves Stress
  - Relaxes Muscles
  - Soothes Aches and Pains
  - Flushes Toxins from the Body
  - Cleanses Skin
  - Induces a Deeper, More Relaxed Sleep
  - Relieves Nasal, Sinus and Chest Congestion
  - Fights Illness
  - Feels Good

Table of Contents

AT Series Generators with T100 Touch Control	4-6
AK Series Generators	7-9
AK Series Digital Controls	10-11
Optional Accessories for Residential Steam Baths	11-12
AI Series Commercial Boilers & Controls	13-16
Club 190 Commercial Steam Doors	14
Sauna Rooms	17-19
Sauna Heaters & Controls	20-23
Sauna Accessories	24-25
Far-Infrared Saunas	25
Sauna Doors	26
Terms and Conditions	27

AMEREC AT SERIES STEAM BATH GENERATORS

CREATING THE ULTIMATE STEAM BATHING EXPERIENCE

Performance Features of Amerec AT Series Generators

Shown with the included ADT Auto Drain

"Soft Steam" element switching maintains a consistent and comfortable steam bath environment. The AT generator uses the full power of both elements to heat up the steam room to the preset temperature, then cuts power to half its elements, resulting in a more consistent flow of soft steam and more stable room temperature. Minimal temperature variation and an even flow of steam are the two most important features of a perfect steam bath.

Quality engineering and reliability. The small physical size of Amerec generators offers efficient installation. Stainless steel tank and water level probes provide years of trouble-free operation, while the included ADT automatic drain system promotes longer generator life. All Amerec generators have removable heating elements for easy and economical service.

The AT Series steam generator package includes the innovative T100 Touch control and the ADT automatic drain kit. Simply select the appropriate kW size generator for the shower space and add the ComfortFlo™ steam head(s) in the finish of your choice.

Recommended Generator Sizing Guide

Step 1. Calculate the cubic footage of the steam room enclosure. Length x Width x Height = Cubic Feet
(Do not deduct for benches or other intrusions as they represent surface area to heat.)
(Maximum recommended ceiling height is 8 feet.)

L _____ x W _____ x H _____ = _____

Step 2. Add the following adjustments to the cubic footage calculated in step 1 to account for your specific room design features.

A. Acrylic or Cultured Marble.	Cubic Footage x 0% _____
B. Ceramic Tile.	Cubic Footage x 20% _____
C. For each glass or glass block wall, or exterior wall exposed to freezing.	Cubic Footage x 15% _____
D. Natural Stones (Marble, Granite, Travertine, Slate or Porcelain Tile).	Cubic Footage x 100% _____
	Total (1 + 2A + 2B + 2C + 2D) _____

AT TOUCH CONTROL SERIES

1-PHASE GENERATORS

AT Touch Control Series generator package features the T100 Touch control and includes the ADT auto drain kit.

T100 Touch Control Features:

- Touch screen operation for easy control of temperature and time settings.
- Large screen displays steam bath temperature and time of day.
- Displays temperature in Fahrenheit or Celsius.
- Sleep mode with integral sensor to activate screen when approached.
- Delayed start feature to pre-heat steam room at selected time.
- Multiple language settings including English and Spanish.
- Remote-mounted sensor allows control to be located inside or outside room.
- Flush-mount, low-profile installation.
- Installed dimensions 6 3/8" H x 4" W.

Required ComfortFlo™ steam head to be ordered separately. Please specify finish.

ComfortFlo™ Steam Head w/ Insulator

Model	Finish	Item No.	List Price
CFSH-CP	Polished Chrome	8812-31	$ 165
CFSH-PB	Polished Brass	8812-32	$ 165
CFSH-PN	Polished Nickel	8812-35	$ 165
CFSH-BN	Brushed Nickel	8812-36	$ 165
CFSH-ORB	Oil Rubbed Bronze	8812-37	$ 165

Single Unit 240V/1 Phase Generator, Control & Drain Package

		Max Cubic	Electrical Specifications				Standard Package		Warm Start Package	
Model	kW	Footage	Volts	Phase	Amps	Breaker	Item No.	List Price	Item No.	List Price
AT5	5.0	100	240	1	20.8	30	9015-2001	$ 3,075	9015-2004	$ 3,275
AT7	7.0	220	240	1	29.2	40	9015-4001	$ 3,225	9015-4004	$ 3,425
AT10	10.0	400	240	1	41.7	60	9015-6001	$ 3,500	9015-6004	$ 3,700
AT12	12.0	500	240	1*	16.7/33.3	25/50	9015-7001	$ 3,875	9015-7004	$ 4,075
AT14	14.0	600	240	1*	20.8/37.5	30/50	9015-8001	$ 4,375	9015-8004	$ 4,575

* Single phase AT12 & AT14 generators require two (2) separate line circuits and two (2) steam heads for each generator.
Shipping dimensions for AT generator boxes are 23" L x 20.5" W x 7.5" L.
Actual generator dimensions vary by kW size. Refer to rough-in sheet for actual dimensions.
Estimated shipping weight for all AT single generators is 30 lbs. or 14 kgs.
If voltage requirement is anything other than 240V, please contact Amerec for available options.

Multiple Unit 240V/1 Phase Generator, Control & Drain Package for Large Steam Rooms

		Max. Cubic		Standard Package		Warm Start Package	
Model	kW	Footage	Electrical Specifications	Item No.	List Price	Item No.	List Price
AT17	17	725	Please call for electrical specifications	9025-1001	$ 4,975	9025-1004	$ 5,175
AT20	20	900		9025-2001	$ 5,400	9025-2004	$ 5,600
AT30	30	1,350	**1-800-331-0349**	9025-5001	$ 7,000	9025-5004	$ 7,200

AT17 and AT20 include two (2) generators connected to function as one system with one (1) control.
AT30 includes three (3) generators connected to function as one system with one (1) control.
Multiple unit ganged systems require one (1) steam head for each generator. Steam heads must be ordered separately.
Multiple unit ganged systems require one (1) ADT drain valve for each generator. Drain valves are included with the package.

AT TOUCH CONTROL SERIES

3-PHASE GENERATORS

Single Unit 208V/3 Phase Generator, Control & Drain Package

Model	kW	Max Cubic Footage	Electrical Specifications: Volts	Phase	Amps	Breaker	Standard Generator: Item No.	List Price
3T8	8	280	208	3	21.9	30	9015-5201	$ 3,775
3T10	10	400	208	3	28.1	40	9015-6201	$ 3,925
* 3T12	12	500	208	3	31.3	40	9015-7201	$ 4,325
* 3T14	14	600	208	3	38.7	50	9015-8201	$ 4,725

* Two (2) steam heads are recommended for 3T12 and 3T14 generators.
Shipping dimensions for AT generator boxes are 23"L x 20.5" W x 7.5" H. Refer to rough-in sheet for actual dimensions.
Estimated shipping weight for all AT single unit generators is 30 lbs. or 14 kgs.

Multiple Unit 208V/3 Phase Generator, Control & Drain Package for Large Steam Rooms

Model	kW	Max. Cubic Footage	Electrical Specifications	Standard Generator: Item No.	List Price
3T20	20	800	Please call for electrical specifications.	9025-2201	$ 6,500
3T24	24	1,000		9025-3201	$ 6,650
3T28	28	1,200		9025-4201	$ 6,800
3T36	36	1,500	**1-800-331-0349**	9025-6201	$ 9,450

3T20, 3T24 and 3T28 include two (2) generators connected to function as one system with one (1) control.
3T36 includes three (3) generators connected to function as one system with one (1) control.
Multiple unit ganged systems require one (1) steam head for each generator. Steam heads must be ordered separately.
Multiple unit ganged systems require one (1) drain valve kit for each generator. Drain valve kits are included with the package.

Optional Accessories for AT & 3T Generator Packages

Fragrance Injector Pump Kit
Delivers essence oils directly into the steam line.
Pump kit includes on/off control, one (1) 16 oz. bottle of Eucalyptus oil and wall-mounted caddy.

Model	Item No.	List Price
A220FP	9223-227	$ 825



Chromatherapy Light Kit
Kit includes one lamp, housing, transformer and color selection control.
Additional lamp kits ordered separately. Maximum of seven (7) lamps per installation.
On / Off switch supplied by others. Not for use as a primary light source.

Model		Item No.	List Price
A210LK	Light Kit	9223-212	$ 675
FC210L-L1	Single Lamp Kit	9223-110	$ 210



Stainless Steel Generator Drip Pan
Order one per generator.
Dimensions: 26" x 8" x 2"

Model		Item No.	List Price
ADP	Steam Generator Drip Pan	9210-110	$ 135

Smart Home Kit for AT & 3T Generators
Kit includes cable and terminal block

Model	Item No.	List Price
ATSH	8855-121	$ 100

Remote Start Kit for AT & 3T Generators
Kit includes cable and terminal block

Model	Item No.	List Price
ATRS	8855-122	$ 200

AK/3K SERIES STEAM BATH GENERATORS

CREATING THE ULTIMATE STEAM BATHING EXPERIENCE

Performance Features of Amerec AK Series Generators

Shown with optional ADK Auto Drain and ADP Drip Pan

"Soft Steam" element switching maintains a consistent and comfortable steam bath environment. The AK generator uses the full power of both elements to heat up the steam room to the preset temperature, then cuts power to half its elements, resulting in a more consistent flow of soft steam and more stable room temperature. Minimal temperature variation and an even flow of steam are the two most important features of a perfect steam bath.

Quality engineering and reliability. The small physical size of Amerec generators offers efficient installation. Stainless steel tank and water level probes provide years of trouble-free operation, while standard manual drains or optional ADK automatic drain systems promote longer generator life. All Amerec generators have removable heating elements for easy and economical service.

"Warm Start" instant steam option is a unique feature that keeps water in the generator tank pre-heated so steam output begins in less than 60 seconds after the main control is turned on. The "Warm Start" feature can be turned on and off to conserve electricity usage whenever the steam bath won't be used for extended periods of time.

Recommended Generator Sizing Guide

Step 1. Calculate the cubic footage of the steam room enclosure. Length x Width x Height = Cubic Feet
(Do not deduct for benches or other intrusions as they represent surface area to heat.)
(Maximum recommended ceiling height is 8 feet.)

L _____ x W _____ x H _____ = _____

Step 2. Add the following adjustments to the cubic footage calculated in step 1 to account for your specific room design features.

A. Acrylic or Cultured Marble.	Cubic Footage x 0% _____
B. Ceramic Tile.	Cubic Footage x 20% _____
C. For each glass or glass block wall or exterior wall exposed to freezing.	Cubic Footage x 15% _____
D. Natural Stones (Marble, Granite, Travertine, Slate or Porcelain Tile).	Cubic Footage x 100% _____
	Total (1 + 2A + 2B + 2C + 2D) _____

AK SERIES

1-PHASE GENERATORS

Single Unit 240V/1 Phase Generators

Model	kW	Max Cubic Footage	Volts	Electrical Specifications Phase	Amps	Breaker	Standard Generator Item No.	Standard Generator List Price	Warm Start Generator Item No.	Warm Start Generator List Price
AK4	4.0	75	240	1	16.7	25	9011-100	$ 1,550	9011-104	$ 1,750
AK5	5.0	100	240	1	20.8	30	9011-200	$ 1,600	9011-204	$ 1,800
AK6	6.0	160	240	1	25.0	35	9011-300	$ 1,700	9011-304	$ 1,900
AK7	7.0	220	240	1	29.2	40	9011-400	$ 1,800	9011-404	$ 2,000
AK8.5	8.5	300	240	1	35.4	50	9011-500	$ 2,000	9011-504	$ 2,200
AK10	10.0	400	240	1	41.7	60	9011-600	$ 2,100	9011-604	$ 2,300
AK12*	12.0	500	240	1*	16.7/33.3	25/50	9011-700	$ 2,400	9011-704	$ 2,600
AK14*	14.0	600	240	1*	20.8/37.5	30/50	9011-800	$ 2,850	9011-804	$ 3,050

* Single phase AK12 & AK14 generators require two (2) separate line circuits and two (2) steam heads for each generator.
Shipping dimensions for AK generator boxes are 23" L x 20.5" W x 7.5" H.
Actual generator dimensions vary by kW size. Refer to rough-in sheet for actual dimensions.
Estimated shipping weight for all AK4 through AK14 generators is 30 lbs. or 14 kgs.
A separate Warm Start Control must be ordered for use with Warm Start generators. See below.
If voltage requirement is anything other than 240V, please contact Amerec for available options.

Multiple Unit 240V/1 Phase Generators for Large Steam Rooms

Model	kW	Max. Cubic Footage	Electrical Specifications	Standard Generator Item No.	Standard Generator List Price	Warm Start Generator Item No.	Warm Start Generator List Price
AK17	17	725	Please call for electrical specifications **1-800-331-0349**	9005-370	$ 3,075	9005-374	$ 3,275
AK20	20	900		9005-380	$ 3,500	9005-384	$ 3,700
AK30	30	1,350		9005-390	$ 4,700	9005-394	$ 4,900

AK17 & AK20 include two (2) generators connected to function as one system with one (1) control.
AK30 includes three (3) generators connected to function as one system with one (1) control.
Multiple unit ganged systems require one (1) steam head for each generator. Steam heads must be ordered separately.
Multiple unit ganged systems require one (1) drain valve kit for each generator. Drain valve kits ordered separately.
If voltage requirement is anything other than 240V, please contact Amerec for available options.

A separate Warm Start Control must be ordered for use with Warm Start generators.

- Warm Start control switch is required to activate the optional Warm Start feature available on AK and 3K series generators. It is not required when the K200i Freedom Control is used.
- Warm Start control switch can be mounted inside the steam room or near the steam generator.

Model	Finish	Item No.	List Price
WS-CP	Polished Chrome	9208-41	$ 120
WS-PB	Polished Brass	9208-42	$ 120
WS-BN	Brushed Nickel	9208-451	$ 120
WS=ORB	Oil Rubbed Bronze	9208-47	$ 120

3K SERIES

3-PHASE GENERATORS

Single Unit 208V / 3 Phase Generators

Model	kW	Max Cubic Footage	Electrical Specifications Volts	Phase	Amps	Breaker	Standard Generator Item No.	List Price	Warm Start Generator Item No.	List Price
3K8	8	300	208	3	21.9	30.0	9011-520	$ 2,300	9011-524	$ 2,500
3K10	10	400	208	3	28.1	40.0	9011-620	$ 2,475	9011-624	$ 2,675
* 3K12	12	500	208	3	31.3	40.0	9011-720	$ 2,875	9011-724	$ 3,075
* 3K14	14	600	208	3	40.2	50.0	9011-820	$ 3,275	9011-824	$ 3,475

* Two (2) steam heads are recommended for 3K12 and 3K14 generators.
Shipping dimensions for all 3K8 through 3K14 generators is 23"L x 20.5" W x 7.5" H. Refer to rough-in sheet for actual dimensions.
Estimated shipping weight for all 3K8 through 3K14 generators is 30 lbs. or 14 kgs.

A separate Warm Start Control must be ordered for use with Warm Start generators.

Multiple Unit 208V/3 Phase Generators for Large Steam Rooms

Model	kW	Max. Cubic Footage	Electrical Specifications	Standard Generator Item No.	List Price	Warm Start Generator Item No.	List Price
3K20	20	800	Please call for electrical specifications **1-800-331-0349**	9005-540	$ 4,575	9005-541	$ 4,775
3K24	24	1,000		9005-542	$ 4,800	9005-543	$ 5,000
3K28	28	1,200		9005-544	$ 4,950	9005-545	$ 5,150
3K36	36	1,500		9005-548	$ 7,150	9005-549	$ 7,350

3K20, 3K24 & 3K28 include two (2) generators connected to function as one (1) system with one (1) control.
3K36 includes three (3) generators connected to function as one (1) system with one (1) control.
Multiple unit ganged systems require one (1) steam head for each generator. Steam heads must be ordered separately.
Multiple unit ganged systems require one (1) drain valve kit for each generator. Drain valve kits ordered separately.

A separate Warm Start Control must be ordered for use with Warm Start generators.

- Warm Start control switch is required to activate the optional Warm Start feature available on AK and 3K series generators. It is not required when the K200i Freedom Control is used.
- Warm Start control switch can be mounted inside the steam room or near the steam generator.

Model	Finish	Item No.	List Price
WS-CP	Polished Chrome	9208-41	$ 120
WS-PB	Polished Brass	9208-42	$ 120
WS-BN	Brushed Nickel	9208-451	$ 120
WS=ORB	Oil Rubbed Bronze	9208-47	$ 120

Steam Generator Accessories

Model	Description	Item No.	List Price
ADK	Automatic Drain Valve Kit for AK & 3K Series generators. Automatically drains and flushes tank after each steam bath. Order one (1) ADK drain for each generator when ordering ganged systems.	9210-100	$ 390



Model	Description	Item No.	List Price
ADP	Stainless Steel generator drip pan with threaded fitting. Order one per generator.	9210-110	$ 135

Smart Home Kit for AT & 3T Generators
Kit includes cable and terminal block

Model	Item No.	List Price
AKSH	8855-120	$ 100

STEAM BATH CONTROLS

FOR AK AND 3K SERIES GENERATORS

KT60 Digital Control with Built-In Temperature Sensor

- KT60 3-button digital control with on/off, temperature and time duration setting.
- Display alternates between ambient room temperature and time remaining.
- Features integral temperature sensor and must be mounted inside steam room.
- Control kit includes KT60 control, cable and ComfortFlo steam head.

Model	*Finish*	*Item No.*	*List Price*
KT60-CP	Polished Chrome	9111-101	$ 725
KT60-PB	Polished Brass	9111-102	$ 725
KT60-PN	Polished Nickel	9111-105	$ 725
KT60-BN	Brushed Nickel	9111-106	$ 725
KT60-ORB	Oil Rubbed Bronze	9111-107	$ 725

K60 Digital Control with Remote-Mounted Temperature Sensor

- K60 3-button digital control with on/off, temperature and time duration setting.
- Display alternates between ambient room temperature and time remaining.
- Features remote sensor and can be mounted inside or outside steam room.
- Control kit includes K60 control, sensor, cables and ComfortFlo steam head.

Model	*Finish*	*Item No.*	*List Price*
K60-CP	Polished Chrome	9101-101	$ 750
K60-PB	Polished Brass	9101-102	$ 750
K60-PN	Polished Nickel	9101-105	$ 750
K60-BN	Brushed Nickel	9101-106	$ 750
K60-ORB	Oil Rubbed Bronze	9101-107	$ 750

K30 On/Off Control with Remote-Mounted Temperature Sensor

- K30 1-button digital control with on/off and temperature adjustment.
- Built-in 30 minute timer .
- Features remote sensor and can be mounted inside or outside steam room.
- Control kit includes K30 control, sensor, cables and ComfortFlo steam head.

Model	*Finish*	*Item No.*	*List Price*
K30-CP	Polished Chrome	9207-11	$ 475
K30-PB	Polished Brass	9207-12	$ 475
K30-PN	Polished Nickel	9207-15	$ 475
K30-BN	Brushed Nickel	9207-151	$ 475
K30-ORB	Oil Rubbed Bronze	9207-157	$ 475

R30K On/Off Non-Thermostatic Control

- R30K basic on/off control.
- Green indicator light illuminates during generator operation.
- Control can be mounted inside or outside steam room.
- Control kit includes R30K control, cable and ComfortFlo steam head.

Model	*Finish*	*Item No.*	*List Price*
R30K-CP	Polished Chrome	9141-101	$ 225
R30K-PB	Polished Brass	9141-102	$ 225
R30K-BN	Brushed Nickel	9141-106	$ 225
R30K-ORB	Oil Rubbed Bronze	9141-107	$ 225

STEAM BATH CONTROLS

FOR AK AND 3K SERIES GENERATORS

DKT60/K60 Dual Digital Control with Built-In Temperature Sensor

- DKT60/K60 dual 3-button digital controls display temperature and time.
- Adjustable time duration up to 60 minutes and temperature up to 125° F.
- Both controls alternately display room temperature and time remaining.
- KT60 features integral temperature sensor and mounts inside room.
- K60 control mounts outside room.
- Dual control kit includes two controls, cables and ComfortFlo steam head.

Model	*Finish*	*Item No.*	*List Price*
DKT60/K60-CP	Polished Chrome	9113-101	$ 1,325
DKT60/K60-PB	Polished Brass	9113-102	$ 1,325
DKT60/K60-PN	Polished Nickel	9113-105	$ 1,325
DKT60/K60-BN	Brushed Nickel	9113-106	$ 1,325
DKT60/K60-ORB	Oil Rubbed Bronze	9113-107	$ 1,325

DK60/K30 Dual Digital & On/Off Control with Remote Mounted Temperature Sensor

- DK60/K30 dual 3-button control displays temperature and time.
- Adjustable time duration up to 60 minutes and temperature up to 125° F.
- K60 control alternately displays room temperature and time remaining.
- K30 on/off control display illuminates during operation.
- Features remote sensor that mounts inside steam room
- Dual control kit includes two controls, sensor, cables and ComfortFlo steam head.

Model	*Finish*	*Item No.*	*List Price*
DK60/K30-CP	Polished Chrome	9104-101	$ 1,075
DK60/K30-PB	Polished Brass	9104-102	$ 1,075
DK60/K30-PN	Polished Nickel	9104-105	$ 1,075
DK60/K30-BN	Brushed Nickel	9104-106	$ 1,075
DK60/K30-ORB	Oil Rubbed Bronze	9104-107	$ 1,075

Steam Bath Accessories



Chromatherapy Light Kit

Kit includes one lamp, housing, transformer and color selection control.
Additional lamp kits ordered separately. Maximum of seven (7) lamps per installation.
On / Off switch supplied by others. Not for use as a primary light source.

Model		*Item No.*	*List Price*
A210LK	Light Kit	9223-212	$ 675
FC210L-L1	Single Lamp Kit	9223-110	$ 210

Fragrance Injector Pump Kit

Delivers essence oils directly into the copper steam line.
Pump kit includes on/off control, one (1) 16 oz bottle of Eucalyptus oil and wall-mounted caddy.

Model	*Item No.*	*List Price*
A220FP	9223-227	$ 825

Fragrance, Eucalyptus, Supreme Grade, 100% Pure

Model		*Item No.*	*List Price*
Eucalyptus-2	2 oz. bottle	9253-171	$ 16
Eucalyptus-8	8 oz. bottle	9253-172	$ 24
Eucalyptus-16	16 oz. bottle	9253-173	$ 40
Eucalyptus-64	1-gallon jug	9253-175	$ 200

STEAM BATH ACCESSORIES

Steam Shower Sound System

The Steam Shower Sound System offers superior sound quality for your personal steam shower. Waterproof FM radio with iPod interface, pre-amp outlet, RF 2-way remote control, and Bluetooth®. Waterproof flush-mount, 2-way speakers with powder coated stainless steel grilles.

- Peak Power: 140 watts per pair.
- Easy mounting system and grilles cover mounting screws for a clean appearance.
- Dock Dimension: 8 11/16" x 8 11/16" x 2 15/16". Cutout Dimension: 7 3/8" x 7 3/8".

Model		*Item No.*	*List Price*
SOUND SYSTEM	Sound System with speakers.	8252-064	$ 1,200
SPEAKERS	Waterproof Speakers, 1 Pair	9252-030	$ 460



Automatic Drain Valve for AK & 3K Series Generators

Order one per generator.

Model		*Item No.*	*List Price*
ADK	Automatic Drain Valve Kit	9210-100	$ 390



Stainless Steel Generator Drip Pan

Order one per generator.
Dimensions: 26" x 8" x 2"

Model		*Item No.*	*List Price*
ADP	Steam Generator Drip Pan	9210-110	$ 135

ComfortFlo™ Steam Head w/ Insulator

Model		*Item No.*	*List Price*
CFSH-CP	Polished Chrome	8812-31	$ 165
CFSH-PB	Polished Brass	8812-32	$ 165
CFSH-PN	Polished Nickel	8812-35	$ 165
CFSH-BN	Brushed Nickel	8812-36	$ 165
CFSH-ORB	Oil Rubbed Bronze	8812-37	$ 165

Wall Mount, Fold Down Teak Shower Seat

Model		*Item No.*	*List Price*
TEAK SEAT	20" x 13" Teak Seat	9270-029	$ 330

Wall Mount, Fold Down White Shower Seat

Model		*Item No.*	*List Price*
RELAX	13 1/2" x 9 1/4" White Seat	9270-02	$ 130

AI SERIES COMMERCIAL STEAM BOILERS

Ideal for large steam rooms, the Amerec AI Series is designed for user enjoyment, ease of operation and long life. The AI boilers are engineered for easy on-site maintenance and hands-off, automated operation. Amerec engineering and technology incorporates several unique features, making the AI Series the ideal choice for large commercial steam rooms.

AI Series Boiler Features

- □ ASME H-Stamped Low-Pressure Vessel, National Board registered.
- □ UL Listed
- □ All steel construction with powder coat finish and stainless steel feet to prevent corrosion.
- □ Multiple safety features, including:
  - Sight Glass
  - Three-level water sensing system with low water cutoff
  - Control system per CSD-1.
- □ Room "over-temperature shut down" turns boiler elements off and blinks indicators to show alarm.
- □ Designed for easy serviceability.
  - Simple service access and control
  - Indicator lights with integral diagnostics
- □ One or two-room operation with each room controlled individually. Requires 2-room thermostatic control kit.
- □ CoolFlush™ Auto Drain Option performs recommended daily draining and flushing to reduce sludge and scale build up.
  - Anti-vacuum drain system reduces gurgling noises and slow draining.
  - Cools water in tank to 140° or less to prevent damage to plumbing drain system.
  - Drain clock allows system to start at desired time of day, whether the generator is on or off.
- □ Optional Low Water Cut-Off (LWCO) with manual reset prevents heating should the water level drop below safe levels.
- □ Optional 24-hour and 24-hour / 7-day integral run and drain clocks.
- □ Optional "Refresh" control provides short bursts of steam on demand with a simple push button inside the steam room.
  - Provides a 15 to 20 second burst of steam even if the room is at set temperature and not calling for steam.

AI Series Commercial Steam Boiler Dimensions



AI SERIES COMMERCIAL STEAM BOILERS

AI Series Commercial Steam Boilers

Note: It is recommended that one steam head be installed for every 12 kW. Thermostat kits required for each boiler include two (2) steam heads. Please order additional steam heads as required for 30 kW and larger AI boilers.

Model	kW	Max Cubic Footage	Steam Lbs. Per Hour	Electrical Specifications Volts	Phase	Amps	Item No.	List Price
AI-12	12	550	36	208	1	59	9006-120	$ 5,950
AI-12	12	550	36	240	1	51	9006-121	$ 5,950
AI-12	12	550	36	208	3	34	9006-123	$ 5,950
AI-12	12	550	36	240	3	30	9006-124	$ 5,950
AI-12	12	550	36	415	3	18	9006-125	$ 5,950
AI-12	12	550	36	480	3	15	9006-126	$ 5,950
AI-18	18	900	54	208	1	88	9006-180	$ 6,450
AI-18	18	900	54	240	1	76	9006-181	$ 6,450
AI-18	18	900	54	208	3	51	9006-183	$ 6,450
AI-18	18	900	54	240	3	44	9006-184	$ 6,450
AI-18	18	900	54	415	3	27	9006-185	$ 6,450
AI-18	18	900	54	480	3	22	9006-186	$ 6,450
AI-24	24	1200	73	208	1	116	9006-240	$ 7,150
AI-24	24	1200	73	240	1	101	9006-241	$ 7,150
AI-24	24	1200	73	208	3	68	9006-243	$ 7,150
AI-24	24	1200	73	240	3	59	9006-244	$ 7,150
AI-24	24	1200	73	415	3	36	9006-245	$ 7,150
AI-24	24	1200	73	480	3	29	9006-246	$ 7,150
AI-30	30	1500	91	208	3	85	9006-303	$ 8,350
AI-30	30	1500	91	240	3	73	9006-304	$ 8,350
AI-30	30	1500	91	415	3	44	9006-305	$ 8,350
AI-30	30	1500	91	480	3	36	9006-306	$ 8,350
AI-36	36	1800	109	208	3	101	9006-363	$ 8,750
AI-36	36	1800	109	240	3	88	9006-364	$ 8,750
AI-36	36	1800	109	415	3	53	9006-365	$ 8,750
AI-36	36	1800	109	480	3	43	9006-366	$ 8,750
AI-42	42	2100	127	208	3	118	9006-423	$ 9,150
AI-42	42	2100	127	240	3	102	9006-424	$ 9,150
AI-42	42	2100	127	415	3	62	9006-425	$ 9,150
AI-42	42	2100	127	480	3	51	9006-426	$ 9,150
AI-48	48	2400	145	240	3	117	9006-484	$ 9,550
AI-48	48	2000	145	415	3	70	9006-485	$ 9,550
AI-48	48	2000	145	480	3	58	9006-486	$ 9,550

Please select required and optional controls for AI Series Boilers on next page.

Club 190 Steam Door Handicap accessible, ADA compliant.

A heavy glass door with sturdy aluminum frame. Excellent for high use commercial applications.

- Door opening is 36" x 84"; frame size is 39-1/2" x 85-3/4"
- Custom sizes available. Please call for quote.
- Vinyl sweep.
- Hydraulic closer included. Closer to be mounted on exterior side of door.
- Push - Pull handles included.
- Optional 1" insulated glass provides increased thermal efficiency.

Standard 40 x 86 door with Aluminum frame	$ 2,900
Add for Bronze frame	$ 275
Add for 1" insulated glass	$ 275
Custom Size Doors	Call for Quote

AI SERIES COMMERCIAL BOILER

CONTROLS AND OPTIONS

One of the following thermostatic control kits is required for all AI Series boilers.

	Model	Description	Item No.	List Price
	T100B-1	T100 Touch control kit for 1 room installation. For use with all models. Includes Touch screen control, sensor, cables and 2 ea. 3/4" Chrome steam heads.	9150-103	$ 1,325
	T100B-2	T100 Touch control kit for 2 room installation. 12-24kW models. T100 Touch control kit for 2 room installation. 30-48kW models Includes 2 Touch controls, 2 sensors, cables, 1 steam solenoid valve assembly and 4 ea. 3/4" Chrome steam heads.	9150-104 9150-106	$ 2,600 $ 2,600
	IT1	Thermostat for 1 room installation. For use with all models. Includes thermostat control, sensor, cables and 2 ea. 3/4" Chrome steam heads.	9226-30	$ 325
	IT2	Thermostat for 2 room installation. 12-24kW 208V, 240V & 480V models.	9226-20	$ 1,150
	IT2	Thermostat for 2 room installation. 12-24kW 415V Export models.	9226-21	$ 1,150
	IT2	Thermostat for 2 room installation. 30-48kW 208V, 240V & 480V models.	9226-22	$ 1,150
	IT2	Thermostat for 2 room installation. 30-48kW 415V Export models. Includes 2 IT1 thermostat controls, 2 sensors, cables, 1 steam solenoid valve assembly and 4 ea. 3/4" Chrome steam heads.	9226-23	$ 1,150
	IT1-M	Boiler mounted thermostat for 1 room installation. For all models. Includes thermostat control, sensor, cables and 2 ea. 3/4" Chrome steam heads.	9226-301	$ 375
	IT2-M	Boiler mounted thermostat for 2 room installation. 12-24kW, 208V, 240V & 480V.	9226-201	$ 1,250
	IT2-M	Boiler mounted thermostat for 2 room installation. 12-24kW, 415V Export.	9226-211	$ 1,250
	IT2-M	Boiler mounted thermostat for 2 room installation. 30-48kW, 208V, 240V & 480V.	9226-221	$ 1,250
	IT2-M	Boiler mounted thermostat for 2 room installation. 30-48kW 415V Export. All IT2-M units include 2 IT1 thermostat controls, 2 sensors, cables, 1 steam solenoid valve assembly and 4 ea. 3/4" Chrome steam heads.	9226-231	$ 1,250

AI SERIES COMMERCIAL BOILER

CONTROLS AND OPTIONS

Model	Description	Item No.	List Price
Optional controls and accessories for AI Series boilers.			
ADI	CoolFlush™ auto drain and flush system.	9210-118	$ 920
ADI	CoolFlush™ auto drain and flush system. 230V for Export.	9210-119	$ 920
ADI-D	CoolFlush™ auto drain and flush system with Digital Run Clock.	9210-116	$ 950
ADI-D	CoolFlush™ auto drain and flush system with Digital Run Clock. 230V / for Export	9210-117	$ 950
IDS	In room "Refresh" control for a quick burst of steam on demand.	9226-05	$ 270
I60	60 minute timer to control steam flow in steam rooms with intermittent use.	9226-10	$ 200
I24/7	7 Day Time Clock with 2 hour on/off segments. 120V.	9226-15	$ 140
I24/1	24 Hour Time Clock with 30 minute on/off segments. 120V.	9226-16	$ 140
I24/7	7 Day Time Clock with 2 hour on/off segments. 230V / 50Hz for Export	9226-17	$ 140
I24/1	24 Hour Time Clock with 30 minute on/off segments. 230V / 50Hz for Export	9226-18	$ 140
D24/7	24 Hour 7 Day Digital Time Clock with Battery Back Up. 120V	9226-19	$ 210
D24/7	24 Hour 7 Day Digital Time Clock with Battery Back Up. 230V / for Export	9226-191	$ 210
LWCO	Low Water Cut-Off with Manual Reset. (Required by local codes in some states.)	8814-50	$ 870
CFSH-34	ComfortFlo™ 3/4" Steam Head w/ insulator.	8816-31	$ 165
AROMA	Commercial grade aroma therapy pump with mounting bracket.		$ 1,350
ASX100	Single Cartridge Scale-X Water Treatment System	9209-010	$ 340
ASX100-RFK	ASX100 Cartridge Replacement Kit	9209-041	$ 140
ASX200	Dual Cartridge Scale-X Water Treatment System	9209-020	$ 730
ASX200-RFK	ASX200 Cartridge Replacement Kit	9209-051	$ 250

ASX200

SAUNA PRODUCTS

All Signature Saunas are made of clear Western Red Cedar (unless noted otherwise) and include the following: heater, control, rocks, stainless steel bucket and ladle, 5" thermometer, appropriate light, headrests (2), heater guard, backrest and duckboard for walk area. Benches are pre-assembled and door is pre-hung.
European Alder and Hemlock are optional woods unless noted as standard.

Model	Size	Heater	Benches	List Price
Cascade	72" x 84" x 84"	6 kW	2	
(Cedar/Hemlock standard)				
Package with Designer heater				$ 15,000
Package with Digital heater and DC60 control				$ 15,560
Package with Saunatonttu heater				$ 16,300

Model	Size	Heater	Benches	List Price
Alta	81 3/4" x 81 3/4" x 84"	6 kW	2	
Package with Designer heater				$ 13,970
Package with Digital heater and DC60 control				$ 14,420
Package with Saunatonttu heater				$ 18,300

Model	Size	Heater	Benches	List Price
Pacific	72" x 84" x 84"	6 kW	3	
Package with Designer heater				$ 13,320
Package with Digital heater and DC60 control				$ 13,820
Package with Saunatonttu heater				$ 17,650

Model	Size	Heater	Benches	List Price
Onyx	72" x 84" x 84"	6 kW	2	
Package with Digital heater and DC60 control				$ 12,250
Onyx	60" x 58 3/4" x 84"	4.5kW	2	
Package with Digital heater and DC60 control				$ 15,580

PANEL-BUILT SAUNA ROOMS

Panel-Built sauna packages are manufactured of clear Western Red Cedar and include the following: stainless steel bucket and ladle, wall mounted light, 5" thermometer, duckboard for walk area, headrest and backrest for each upper bench and heater guard rail. Benches are preassembled. All glass bronze tint door is standard (24" x 72" for most rooms) and pre-hung into one of the wall panels. HR or HL door swing must be specified. NOTE: Sauna heater must be selected and ordered separately.

Model	Size (O.D)	Cu. Ft.	kW		List Price
PB 44	4' x 4'x 79"	80	3.0	$	6,020
PB 45	4' x 5' x 7'	109	4.5	$	6,710
PB 46	4' x 6' x 7'	133	4.5	$	7,340
PB 47	4' x 7' x 7'	157	4.5	$	8,280
PB 48	4' x 8' x 7'	181	4.5	$	9,120
PB 55	5' x 5' x 7'	140	4.5	$	7,280
PB 55-C	5' x 5' x7', 5 sided	125	4.5	$	7,020
PB 56	5' x 6' x 7'	176	4.5	$	8,000
PB 57	5' X 7' X 7'	208	6.0	$	8,990
PB 58	5' x 8' x 7'	240	6.0	$	9,930
PB 59	5' x 9' x 7'	272	6.0	$	10,650
PB 66	6' x 6' x 7'	215	6.0	$	8,950
PB 66-C	6' x 6' x 7', 5 sided	194	6.0	$	8,720
PB 6.5-C	6.5' x 6.5' x 7', 5 sided	233	6.0	$	9,440
PB 67	6' x 7' x 7'	254	6.0	$	9,700
PB 68	6' x 8' x 7'	293	8.0	$	10,740
PB 69	6' x 9 x 7'	331	8.0	$	12,500
PB 610	6' x 10' x 7'	370	8.0	$	13,330
PB 77	7' x 7' x 7	300	8.0	$	10,400
PB 77-C	7' x 7' x 7', 5 sided	277	8.0	$	10,170
PB 78	7' x 8' x 7'	345	8.0	$	11,540
PB 88	8' x 8' x 7'	398	10.5	$	13,470
PB 810	8' x 10' x 7'	450	10.5	$	15,250

Other sizes and shapes available. Please call for quote. Plywood exterior: deduct $24 per lineal foot of wall.

Panel-Built Sauna Upgrades

Description	Size	Item No.		List Price
Sidelite window panel	12"x30" or 16"x30", clear or tinted	Upgrade	$	295
Sidelite window panel	12"x60" or 16"x60", clear or tinted	Upgrade	$	300
Grid for window	For all window sizes listed above	Upgrade	$	170
Low voltage valance lighting Includes low voltage light strip, wood light valance and transformer.	4' up to 7'11" wall	3164-360	$	620
Low voltage valance lighting Includes 2 low voltage light strips, wood light valance(s) and transformer.	8' up to 11'11" wall	3164-363	$	1,155
Spectra light kit Includes 2 interior and 3 exterior white lights, 3 interior color lights and 15 amp plug-in.	For use with SaunaLogic control only	3162-146	$	220
Spectra light kit Includes 2 interior and 3 exterior white lights, 3 interior color lights and 15 amp plug-in.	For use with all other controls and heaters	3162-145	$	400
Deluxe Interior (up to 7' x7') Includes Valance Lighting, Deluxe Bench Skirts, Deluxe Backrests and Deluxe Head & Leg Rest.		Upgrade	$	2,000
Starburst Interior (up to 7'x7') Includes Valance Lighting, Wedge-shaped Starburst Corner Bench Section, Curved Bench Front, Bench Skirts, Backrest and Deluxe Head & Leg Rest.		Upgrade	$	2,440

CUSTOM-CUT SAUNA ROOMS

All Custom-Cut sauna packages are manufactured of clear Western Red Cedar and include the following: stainless steel bucket and ladle, wall light, 5" thermometer, duckboard for walk area, headrest(s), heater guard, 24" x 80" pre-hung all glass bronze tint door (27-1/2" x 82-1/4" R.O.) and necessary hardware, pre-built benches assembled from the bottom with stainless steel screws, pre-cut T & G for interior walls and ceiling, corner and cove moulding, interior door casing, sliding vent valve, two (2) vent grilles, foil vapor barrier, backrest for each upper bench and hardware package. NOTE: Sauna heater must be selected and ordered separately.

Model	Size (I.D.)	Cu. Ft.	*kW*	*List Price*
CC 44	4' x 4' x 7'	106	3.0	$ 3,930
CC 45	4' X 5' X 7'	133	4.5	$ 4,320
CC 46	4' x 6' x 7'	161	4.5	$ 4,720
CC 47	4' x 7' x 7'	188	4.5	$ 5,310
CC 48	4' x 8' x 7'	215	6.0	$ 5,860
CC 55	5' x 5' x 7'	168	4.5	$ 4,590
CC 56	5' x 6' x 7'	202	6.0	$ 5,000
CC 57	5' x 7' x 7'	236	6.0	$ 5,680
CC 58	5' x 8' x 7'	271	6.0	$ 6,090
CC 66	6' x 6' x 7'	243	6.0	$ 5,620
CC 67	6' x 7' x 7'	285	8.0	$ 6,050
CC 68	6' x 8' x 7'	326	8.0	$ 6,760
CC 69	6' x 9' x 7'	367	8.0	$ 7,180
CC 610	6' x 10' x 7'	408	8.0	$ 7,460
CC 77	7' x 7' x 7'	333	8.0	$ 6,410
CC 78	7' x 8' x 7'	381	8.0	$ 7,210
CC 88	8' x 8' x 7'	436	10.5	$ 7,660
CC 810	8' x 10' x 7'	547	12.0	$ 8,570
CC 1010	10'x10'x 7'	685	12.0	$ 9,530
CC 1012	10'x12'x7'	824	14.4	$ 10,480

Custom-Cut Sauna Upgrades

Description	Size	Item No.	List Price
Sidelite window panel	16"x60" and 12"x60" clear or tinted	Upgrade	$ 450
Sidelite window panel	16”x30” 12"x30" clear or tinted	Upgrade	$ 415
All sidelight windows use tempered glass. Custom sizes are available. Please call for quote.			
Low voltage valance lighting Includes low voltage light strip, wood light valance and transformer.	4' up to 7'11" wall	3164-360	$ 620
Low voltage valance lighting Includes 2 low voltage light strips, wood light valance(s) and transformer.	8' up to 11'11" wall	3164-363	$ 1,155
Spectra light kit Includes 2 interior and 3 exterior white lights, 3 interior color lights and 15 amp plug-in.	For use with SaunaLogic control only	3162-146	$ 220
Spectra light kit Includes 2 interior and 3 exterior white lights, 3 interior color lights and 15 amp plug-in.	For use with all other controls and heaters	3162-145	$ 400
Deluxe Interior (up to 7'x7') Includes Valance Lighting, Deluxe Bench Skirts, Deluxe Backrests and Deluxe Head & Leg Rest.		Upgrade	$ 2,000
Starburst Interior (up to 7'x7') Includes Valance Lighting, Wedge-shaped Starburst Corner Bench Section, Curved Bench Front, Bench Skirts, Backrest and Deluxe Head & Leg Rest.		Upgrade	$ 2,400

SAUNA HEATERS AND CONTROLS

JUNIOR SERIES Heaters with rocks. Control and contactor not included in price.
Please Note: Must order SaunaLogic control and contactor box separately. SaunaLogic control is only compatible with the Spectra light kit, cat. # 3162-146. See page 19 for pricing.

Model	KW	Volts	Phase	Min/Max Cu. Ft.	Item No.	List Price
Junior 2.2D	2.2	120	1	45/100	9053-118	$ 995
Junior 2.2D	2.2	240	1	45/100	9053-119	$ 995
Junior 3.0D	3.0	120	1	70/150	9053-120	$ 1,035
Junior 3.0D	3.0	240	1	70/150	9053-121	$ 1,035
Rocks, 22# box for Junior Heaters					2990-100	Included
SaunaLogic control					9201-450	$ 140
Contactor Box: CBPK1 for 240v					9202-232	$ 285
Contactor Box: CBPK1 for 120v					9202-231	$ 285

DESIGNER B SERIES Heaters with built-in controls and rocks.

Model	KW	Volts	Phase	Min/Max Cu. Ft.	Item No.	List Price
DSNR-45B	4.5	240	1	100/210	9053-202	$ 1,315
DSNR-45B	4.5	208	3	100/210	9053-203	$ 1,315
Rocks, 33# box for DSNR-45B Heaters					2990-101	Included
DSNR-60B	6.0	240	1	175/310	9053-206	$ 1,380
DSNR-60B	6.0	208	3	175/310	9053-207	$ 1,380
DSNR-80B	8.0	240	1	250/425	9053-210	$ 1,530
DSNR-80B	8.0	208	3	250/425	9053-211	$ 1,530
Rocks, 50# box for DSNR-60B and DSNR-80B Heaters					2990-103	Included

DESIGNER S SERIES Heaters with rocks. Control not included in price.
Please Note: Must order SC control separately. See page 18 for pricing.

Model	KW	Volts	Phase	Min/Max Cu. Ft.	Item No.	List Price
DSNR-45S	4.5	240	1	100/210	9053-302	$ 1,140
DSNR-45S	4.5	208	3	100/210	9053-303	$ 1,140
Rocks, 33# box for DSNR-45S Heaters					2990-101	Included
DSNR-60S	6.0	240	1	175/310	9053-306	$ 1,200
DSNR-60S	6.0	208	3	175/310	9053-307	$ 1,200
DSNR-80S	8.0	240	1	250/425	9053-310	$ 1,335
DSNR-80S	8.0	208	3	250/425	9053-311	$ 1,335
Rocks, 50# box for DSNR-60S and DSNR-80S Heaters					2990-103	Included

SAUNA HEATERS AND CONTROLS

SC Controls

Use with Designer S, Octa and Pro series heater models.

		Item No.	List Price
SC-9	Sleek, flush mount design w/white face plate. Control has a 60 minute timer with nine-hour time delay (9+1), thermostat w/low-voltage remote in-room sensor, light switch and indicator light. 4-1/2"W x 10"H x 3-5/8"D. Perfect for residential use.	9201-221	$ 410
SC-60	Nearly identical to the SC-9 except there is no 9-hour time delay feature (standard 60 minute timer) Perfect for club or home.	9201-231	$ 410
SC-Club	Similar to the SC-9 except in place of the timer there is an on/off switch for continuous use. To be used only in commercial saunas having an attendant on duty.	9201-241	$ 410
Cover for SC Control, locking without holes (no access)		9262-10	$ 370
Cover for SC Control, locking with holes (access to timer)		9262-12	$ 370
Cover for SC Control, outdoor		4009-13	$ 245

DIGITAL Heaters with rocks.

DC60 control required for this model: order control separately.

Please Note: The following heaters require separate controls which are not included in the heater price.

Model	KW	Volts	Phase	Min/Max Cu. Ft.	Item No.	List Price
Digital 45S	4.5	240	1	100/210	9053-702	$ 1,480
Rocks, 33# box for Digital 45S Heaters					2990-101	Included
Digital 60S	6.0	240	1	175/310	9053-706	$ 1,555
Digital 60S	6.0	208	3	175/310	9053-707	$ 1,555
Digital 80S	8.0	240	1	250/425	9053-710	$ 1,595
Digital 80S	8.0	208	3	250/425	9053-711	$ 1,595
Rocks, 50# box for Digital 60S and Digital 80S Heaters					2990-103	Included

DC60-CP	Digital programmable time and temperature. Polished Chrome finish.	9211-110	$ 445
DC60-WH	Digital programmable time and temperature. White Finish. Other finishes also available: Polished Nickel, Brushed Nickel, and Oil Rubbed Bronze.	9211-140	$ 485

SAUNA HEATERS AND CONTROLS

OCTA SERIES Octagonal Floor Standing Heaters. Stainless steel exterior.
Includes 132 lbs. of Vulcanite rocks. SC or Digi VII control and contactor must be ordered separately.
Please Note: See page 21 for SC control pricing.

Model	KW	Volts	Phase	Min/Max Cu. Ft.	Item No.	List Price
Octa 105	10.5	240	1	390/600	9053-450	$ 2,980
Octa 105/3	10.5	208	3	390/600	9053-452	$ 2,980
Octa 120	12.0	240	1	510/740	9053-454	$ 3,000
Octa 120/3	12.0	208	3	510/740	9053-456	$ 3,000
Octa 144	14.4	240	1	630/950	9053-458	$ 3,110
Octa 144/3	14.4	208	3	630/950	9053-459	$ 3,110
Rocks, 70# for Octa Heaters (two boxes required)					2990-105	Included

PRO SERIES Floor Standing Heaters
Includes 132 lbs. of Vulcanite rocks. SC or Digi VII control and contactor must be ordered separately.
Please Note: See page 21 for SC control pricing.

Model	KW	Volts	Phase	Min/Max Cu. Ft.	Item No.	List Price
Pro-105	10.5	240	1	390/600	9053-402	$2,200.00
Pro-105/3	10.5	208	3	390/600	9053-403	2,200.00
Pro-120	12.0	240	1	510/740	9053-406	2,270.00
Pro-120/3	12.0	208	3	510/740	9053-407	2,270.00
Pro-144	14.4	240	1	630/950	9053-410	2,420.00
Pro-144/3	14.4	208	3	630/950	9053-411	2,420.00
Rocks, 70# box for Pro Heaters (two boxes required)					2990-105	Included

Digi VII Controls for Pro Heaters
Please Note: Comes standard with 16' cable.

Digi VII (commercial use only)	Sleek digital control, on/off, 24 hour / 7 day programmable time and temperature, digital readout of temp. and time. Low voltage, flush or surface mount. Includes integral hi-temp audible alarm. 5-1/2" x 6-7/8" x 1-1/8"	9201-437	$ 1,275
Digi VII (60 minute)	Sleek digital control, on/off, 24 hour / 7 day programmable time and temperature, digital readout of temp. and time. Low voltage, flush or surface mount. Includes integral hi-temp audible alarm. 5-1/2" x 6-7/8" x 1-1/8"	9201-436	$ 1,275
Digi Control Cable, 25'		5331-120	$ 140
Digi Control Cable, 50'		5331-17	$ 265
Cover for Digi Control, outdoor		4009-17	$ 195

Digi Contactor Box (must order separately)

CB 9-1	9202-108	$	1,150	< Single Phase >	CB7-1	9202-101	$	715
CB9-3	9202-109	$	1,150	< Three Phase >	CB7-3	9202-103	$	715

SAUNA HEATERS AND CONTROLS

DESIGNER T SERIES Heater

Note: May only be used with T1 control. Order control separately.
No contactor box required.

Model	KW	Volts	Phase	Min/Max Cu. Ft.	Item No.	List Price
DSNR-45T	4.5	240	1	100/210	9053-742	$ 1,400
Rocks, 33# box for DSNR-45T heater.					2990-101	included
DSNR-60T	6	240	1	175/310	9053-746	$ 1,440
DSNR-80T	8	240	1	250/420	9053-750	$ 1,480
DSNR-80T/3	8	208	3	250/420	9053-751	$ 1,480
Rocks, 50# box for DSNR-60T and DSNR-80T heaters.					2990-103	included
T1 Touch Control	Programmable time and temperature, 24 hour preset, light button, sleek touch screen design.				9201-404	$ 935

SAUNATONTTU SERIES Heat Storing Heaters

Includes handheld control and 200 lbs. of Vulcanite rocks. Always hot, always ready.
Very low surface temperature, small safety clearance.

Model	KW	Volts	Phase	Min/Max Cu. Ft.	Item No.	List Price
Saunatonttu 4	4.6	240	1	175/310	9053-905	$ 5,875
Saunatonttu 6	6.0	240	1	250/425	9053-910	$ 5,895
Rocks, 70# box for Saunatonttu Heaters (three boxes required)					2990-105	Included

Sauna Heater Guards

Description	Item No.	List Price
Cedar 2-sided heater guard for Junior sauna heaters	7200-204	$ 50
Cedar 2-sided heater guard for DSNR sauna heaters	7200-224	$ 72
Cedar 3-sided heater guard for DSNR sauna heaters	7200-324	$ 77
Cedar 2-sided heater guard for Octa/Pro sauna heaters	7200-234	$ 140
Cedar 3-sided heater guard for Octa/Pro sauna heaters	7200-334	$ 206
Wood heater guard for Saunatonttu sauna heaters	7200-074	$ 305

SAUNA ACCESSORIES

Description		Item No.	List Price
Armrest: Alder, adjustable		9263-192	$ 140
Backrest: Alder, curved adjustable		9263-189	$ 148
Backrest: Hemlock curved - Item #34 in Sauna brochure.		9263-190	$ 60
Brush Set: two brushes - Item #10 in Sauna brochure.		9261-21	$ 62
Brush: long handled - Item #9 in Sauna brochure.		9261-20	$ 23
Bucket: 1.0 gallon, copper - Item #4 in Sauna brochure.		9260-07	$ 75
Bucket: 1.0 gallon, stainless steel - Item #8 in Sauna brochure.	*	9260-08	$ 72
Bucket: 1.0 gallon, wood with plastic liner - Item #1 in Sauna brochure.		9260-03	$ 70
Bucket: 1.3 gallon, wood w/stainless steel liner - Item #2 in Sauna brochure.		9260-06	$ 188
Bucket: 4.5 gallon, wood - Item #3 in Sauna brochure.		9260-05	$ 181
Cleaner: Sauna Clean, 1 Liter bottle		2136-101	$ 29
Cleaner: Wood Rinse, 1 Liter bottle		2136-103	$ 35
Cleaner: Wood Soap, 1 Liter bottle		2136-100	$ 33
Clock: bucket style **Note: not to be used in sauna** - Item #13 in Sauna brochure.		9253-08	$ 96
Clothes Hook: 2 peg Hemlock		9253-012	$ 21
Clothes Hook: 3 peg Hemlock - Item #38 in Sauna brochure.		9253-013	$ 22
Clothes Hook: 4 peg Hemlock		9253-014	$ 24
Duckboard: Cedar (per square foot)		7100-140	$ 32
Floor Tile: vinyl, 12" x 12" center, burgundy		9270-602	$ 14
Floor Tile: vinyl, 2" x 12" edge, burgundy		9270-622	$ 10
Floor Tile: vinyl, 2" x 2" corner, burgundy		9270-642	$ 5
Foil Vapor Barrier: 195 sq. ft. roll for rooms up to 4' x 6' x 7'		6801-065	$ 60
Foil Vapor Barrier: 255 sq. ft. roll for rooms up to 6' x 7' x 7'		6801-085	$ 76
Foil Vapor Barrier: 315 sq. ft. roll for rooms up to 7' x 8' x 7'		6801-105	$ 73
Foil Vapor Barrier: 500 sq. ft. roll for rooms up to 8' x 10' x 7'		6801-167	$ 142
Fragrance: sauna, 250 ml. Pine scent		9253-197	$ 48
Glass Globe: replacement for wall light		8309-01	$ 37
Handle: Pine		2150-07	$ 61
Handle: trowel style, each - Item #39 in Sauna brochure.		2150-400	$ 67
Headrest: Alder, curved		9263-221	$ 116
Headrest: Cedar, large - Item #14 in Sauna brochure.		9263-218	$ 89
Headrest: Cedar, standard size	*	9263-208	$ 50
Hygrometer: round 4” - Item #32 in Sauna brochure.		9251-213	$ 30
Hygrometer: wood trim/metallic face - Item #26 in Sauna brochure.		9251-210	$ 56
Ladle: 14" wood - Item #7 in Sauna brochure.		9261-01	$ 37
Ladle: 19.5" Copper w/wood handle (style may vary) - Item #5 in Sauna brochure.		9261-07	$ 42
Ladle: 19.5" wood - Item #6 in Sauna brochure.		9261-04	$ 41
Ladle: 19.5" stainless steel w/wood handle - Item #8 in Sauna brochure.	*	9261-08	$ 39
Ladle: 8" stumpy, wood		9261-02	$ 29
Lampshade: Alder wood for corner - Item #11 in Sauna brochure.		9253-043	$ 73
Lampshade: Alder wood for flat wall		9253-047	$ 114
Leg-rest: Alder or Cedar, curved		9263-308	$ 229
Light: ceiling mounted, for sauna		3160-10	$ 101
Light: wall mounted, for sauna - Item #12 in Sauna brochure.	*	3160-01	$ 65
Light: wall mounted with integral push-button on/off, for sauna		3160-02	$ 96
Linen: towel with "Sauna" text (color varies) - Item #15 in Sauna brochure.		9239-046	$ 148
Linen: wash mitten - Item #16 in Sauna brochure.		9239-056	$ 47
Linen: backrub - Item #21 in Sauna brochure.		9239-055	$ 52
Linen: seat cover - Item #22 in Sauna brochure.		9270-005	$ 30

SAUNA ACCESSORIES & FAR-INFRARED SAUNAS

Description	Item No.	List Price
Sand Timer: 15 minutes - Item #18 in Sauna brochure.	9254-02	$ 30
Sand Timer: metallic & wood - Item #19 in Sauna brochure.	9254-01	$ 58
Sauna rocks: Vulcanite, 22# box	2990-100	$ 58
Sauna rocks: Vulcanite, 33# box	2990-101	$ 61
Sauna rocks: Vulcanite, 50# box	2990-103	$ 73
Sauna rocks: Vulcanite, 70# box	2990-105	$ 86
Sauna Sign: wood, laser engraved, Abachi - Item #40 in Sauna brochure.	9253-901	$ 34
Sauna Sign: wood, laser engraved, Cedar - Item $41 in Sauna brochure.	9253-902	$ 34
Sauna Wood Treatment: preserver & maintenance for sauna rooms	2136-102	$ 149
Soap: sauna, Birch scent (style varies) - Item #35 in Sauna brochure.	9261-301	$ 14
Soap: sauna, tar	9261-302	$ 11
Speaker Set: not installed, includes 2 speakers (9252-025), volume control (9252-021) & jack (4000-220)	9252-025	$ 304
Thermometer/Hygrometer: round 4" - Item #33 in Sauna brochure.	9251-140	$ 44
Thermomete/Hygrometerr: round 5" - Item #29 in Sauna brochure.	9251-05	$ 77
Thermometer/Hygrometer: round 7" - Item #30 in Sauna brochure.	9251-02	$ 173
Thermometer/Hygrometer: wood trim/metallic face - Item #27 in Sauna brochure.	9251-132	$ 77
Thermometer: round 5" - Item #28 in Sauna brochure.	9251-033	$ 42
Thermometer: round 4" - Item #31 in Sauna brochure.	9251-024	$ 30
Thermometer: staff style, liquid filled - Item #17 in Sauna brochure.	9251-025	$ 16
Thermometer: wood trim/metallic face - Item #25 in Sauna brochure.	9251-022	$ 56
Ventilation valve for 9263-066 wood grill - Item #36 in Sauna brochure.	9263-045	$ 40
Wood grill for 9263-045 ventilation valve - Item #37 in Sauna brochure.	9263-066	$ 30

*This accessory comes standard with a PB or CC sauna room kit.

Custom Infrared Systems

Amerec Far-Infrared saunas provide soothing heat directly radiated to the body with very little pre-heating time required. The three most cited reasons for Infrared sauna bathing are detoxification, relieve aches & pains and relaxation.

Includes: SaunaLogic control, contactor box and IR panel kit (quantity of panels matched to room size).

Please Note: SaunaLogic control is only compatible with Spectra light kit #3162-146. See page 19 for pricing.

Prices shown below DO NOT include sauna room wood packages. Rooms are priced separately.

RETRO-FIT (must be installed in the field)

System	Description	Cu. Ft.	Item No.	IR System List Price
IS 100-17	120V, 15 amp, 1700W	70 - 100	8802-300	$ 2,900
IS 100-22	120V, 20 amp, 2200W	70 - 100	8802-301	$ 2,950
IS 200	240V, 2350W	100 - 150	8802-302	$ 3,700
IS 300	240V, 2950W	135 - 200	8802-303	$ 3,810
IS 400	240V, 3450W	175 - 310	8802-304	$ 4,300
IS 600	240V, 4450W	250 - 425	8802-306	$ 5,050

PRE-INSTALLED (at Amerec factory)

System	Description	Cu. Ft.		IR System List Price
IS 100-17	120V, 15 amp, 1700W	70 - 100	8802-320	$ 4,300
IS 100-22	240V, 20 amp, 2200W	70 - 100	8802-321	$ 4,340
IS 200	240V, 2350W	100 - 150	8802-322	$ 5,080
IS 300	240V, 2950W	135 - 200	8802-323	$ 5,440
IS 400	240V, 3450W	175 - 310	8802-324	$ 6,150
IS 600	240V, 4450W	250 - 425	8802-325	$ 6,850

PRE-HUNG DOORS

Please specify door swing when ordering. When facing door from exterior: HR = Hinged Right, HL = Hinged Left

Description	Suggested R.O.	Swing	Item No.	List Price
AG 24/72 - 24" x 72" all glass door, bronze tinted, tempered glass.	27-1/2" x 74-1/4"	HR HL	7022-341 7022-342	$ 900
AG 24/72 - 24" x 72" all glass door, satin, tempered glass.	27-1/2" x 74-1/4"	HR HL	7022-343 7022-344	$ 1,120
AG 24/80 - 24" x 80" all glass door, bronze tinted, tempered glass.	27-1/2" x 82-1/4"	HR HL	7022-351 7022-352	$ 990
AG 20/65 - 20" x 65" all glass door, bronze tinted, tempered glass.	23-1/2" x 67-1/4"	HR HL	7022-101 7022-102	$ 860
AG 30/80 - 30" x 80" all glass door, bronze tinted, tempered glass.	33-1/2" x 82-1/4"	HR HL	7022-421 7022-422	$ 1,090
AG 36/80 - 36" x 80" all glass door, bronze tinted, tempered glass.	39-3/4" x 82-1/4"	HR HL	7022-551 7022-552	$ 1,210
Doug Fir 24/72 - 24" x 72" door, with clear insulated tempered glass window.	26" x 74"	HR HL	7051-341 7051-342	$ 1,200
Doug Fir 24/80 - 24" x 80" door, with clear insulated tempered glass window.	26" x 82"	HR HL	7051-351 7051-352	$ 1,230
Doug Fir 30/80 - 30" x 80" door, with clear insulated tempered glass window.	32" x 82"	HR HL	7051-421 7051-422	$ 1,250
Doug Fir 36/80 - 36" x 80" handicap accessible door, with clear insulated tempered glass window.	38" x 82"	HR HL	7051-551 7051-552	$ 1,270
ADA door handle set			add	$ 120
Grid for window of wood doors			add	$ 205
Self-closing hinges (price is per hinge) for use with wood doors only.			add	$ 28

Custom doors and jambs are available. Please call for quote.

Please Note: All doors are pre-hung and include all necessary hardware, latches and handles.

All-Glass AG

All-Glass AG
Satin Finish

Douglas Fir DF

Douglas Fir
with Grids

TERMS AND CONDITIONS

Prices: Prices in the current price book are subject to change without notice and supersede all previous price books, lists and quotations. All orders accepted are subject to prices in effect on the date the order is received. Possession of this book should not be construed as an offer to sell the products herein at the prices stated. Price does not include installation, freight or taxes. All prices are shown in U.S. dollars.

Order Acceptance: Acceptance of any order is subject to the terms and conditions appearing herein. No other terms and conditions, contained in the Buyer's purchase order, shipping release or elsewhere inconsistent or in difference to the terms and conditions herein shall be binding upon Amerec unless specifically agreed to in writing by Amerec.

Credit Policy: The acceptance of any order is subject to credit investigation and approval by Amerec's credit department. Delivery may be withheld on accepted orders, without any liability on the part of Amerec, if, in its opinion, the Buyer's ability to pay for the products on these terms and conditions is in doubt. Any remittance received from, or for the account of the Buyer, may be accepted or applied by Amerec against any indebtedness, regardless of any condition, provision or notation appearing on such remittance. If Amerec brings legal action to collect amounts due and owing by Buyer, Buyer agrees to pay for all attorneys' fees and cost incurred by Amerec in such action.

Late Payment / Service Fees: Interest rate of 1 1/2% per month will be charged from the date an account becomes past due. In addition to late payment charges, Buyer agrees to pay any and all collection costs, including reasonable attorney fees incurred by Amerec in collecting balances not paid within terms.

Taxes: Prices are exclusive of any taxes. Buyer agrees to pay any applicable taxes, duty surcharges, fees or similar charges however imposed. A current resale tax exempt certificate must be filed with Amerec, or applicable taxes shall be added to the price and terms contained.

Freight Policies: All shipments are F.O.B. factory or distribution center and policies apply to all shipments within the continental United States, excluding Alaska, Puerto Rico, Hawaii and export. Amerec reserves the right to choose transportation carriers and shipping location based on lowest rate medium of transfer. Buyer may request specific carrier on orders shipping freight collect.

Partial Shipment: Unless otherwise specified, Amerec may make partial shipments and each shipment shall be deemed a separate sale. Buyer shall accept and pay for shipment regardless of any prior or subsequent failure to deliver any other shipment.

Order Changes: Only when Amerec's Customer Service Department receives a written request via fax or email will any changes, cancellations, deletions or additions to orders be initiated. If an order has reached the shipping department, no changes can be made.

Shipping Weights & Dimensions: Approximate shipping weights and dimensions are shown for Buyer's convenience and are not guaranteed.

Shortage or Variance: Any shortages or variances from the packing list must be noted on the original bill of lading. For proper claim procedure to follow, Buyer should fax the bill of lading copy immediately to the Amerec Customer Service Department. No claims will be considered unless received within five (5) days of delivery.

Damage in Transit: Amerec is responsible for delivering product free of damage to freight carriers. Buyer should carefully inspect upon delivery to insure product is damage free. Any damages should be noted on the original bill of lading. The Buyer must contact the carrier to file a damage claim within ten (10) days of receipt. It is recommended the Buyer hold any damaged packaging until carrier's representative responds to Buyer's claim.

Return Goods: Approved written authorization is required from Amerec's Customer Service Department to return any products. All products returned without approved written authorization will be refused. Products authorized for return must be returned in their original packaging and in otherwise salable condition. A 15% restocking charge will be applied, along with any additional costs necessary to bring the product to salable condition. All credits will be issued in the form of a merchandise credit. Products that are damaged or not in otherwise salable condition, special order, parts of an inventory adjustment, phased out or discontinued items are not eligible for return or credit. Buyer is responsbile for inbound and outbound freight and any freight damage.

Warranty: All Amerec products are covered by Amerec's Limited 5 Year Warranty unless otherwise noted.

Limitation of Liability: Amerec's liability for any and all claims of any kind, including negligence, for any loss or damage arising out of , connected with or resulting from Amerec's performance or breach of the terms hereof shall, in the aggregate, not exceed the purchase price of the particular product. In no event shall Amerec be liable for indirect, special, incidental or consequential damages resulting from or arising out of performance of or failure to perform its obligations hereunder, whether or not Amerec had been advised of, knew, or should have known of the possibility of such damages.

Severability: If any portion or provision of these terms applicable to any situation or circumstance is held invalid, the remainder of these terms or the remainder of such provision (as the case may be) and the application thereof to other situations or circumstances, shall not be affected thereby.

Waiver: Waiver by Amerec of any breach of these provisions shall not be construed as a waiver of any other breach.

Assignment: None of the Buyer's rights under these terms shall be assigned or otherwise transferred by the Buyer to any other person, whether by operation of law or otherwise, without Amerec's prior written approval.

Entirety of Agreement: These terms are intended as a complete and exclusive statement of the terms and conditions of this agreement. No other terms and conditions, whether contained in Buyer's purchase order, shipping release or elsewhere that are inconsistent with, additional to, or different from the terms and conditions herein shall be binding upon Amerec unless specifically agreed to by Amerec in writing.

Assent: Receipt by Buyer or acceptance of the order or receipt of the products without prompt objection to the terms and conditions herein set forth, constitutes acceptance by Buyer of these terms and conditions.

Customer Service for Amerec Steam: 800-331-0349 or fax 425-951-1130 or Email amerec@amerec.com

AMEREC STEAM
P.O. Box 2258 | 17683 128th Place NE, #C | Woodinville, WA 98072, USA
Toll-Free 1-800-331-0349
amerec@amerec.com | www.amerec.com

Amerec reserves the right to change specifications and design without notice.
© 2014 Amerec Steam

4213-14 01/15

amerec®
your moment